

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	@ad<"19980803" and "725"/\$.ccls. and ((coax or coaxial) with (rout\$3 or deliver\$4) with single with (user or subscriber or viewer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:26
L2	0	@ad<"19980803" and "725"/\$.ccls. and ((6mz) with (rout\$3 or deliver\$4) with single with (user or subscriber or viewer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:27
L3	0	@ad<"19980803" and "725"/\$.ccls. and ((6mhz) with (rout\$3 or deliver\$4) with single with (user or subscriber or viewer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:27
L4	0	@ad<"19980803" and "725"/\$.ccls. and ((6mhz or mhz) with (rout\$3 or deliver\$4) with single with (user or subscriber or viewer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:27
L5	2	@ad<"19980803" and "725"/\$.ccls. and ((6mhz or mhz) with (rout\$3 or deliver\$4) with (single or individual) with (user or subscriber or viewer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:28
L6	3	@ad<"19980803" and "725"/\$.ccls. and ((6mhz or ("6" or six) adj mhz) or coax or coaxial) with (rout\$3 or deliver\$4) with (single or individual) with encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:29
L7	5	@ad<"19980803" and ((6mhz or ("6" or six) adj mhz) or coax or coaxial) with (rout\$3 or deliver\$4) with (single or individual) with encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:29

L8	3	@ad<"19980803" and "725"/\$.ccls. and ((6mhz or ("6" or six) adj mhz) or coax or coaxial) with (single or individual or subscriber or customer or buy\$3 or purchas\$3) with encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:30
L9	9	@ad<"19980803" and ((6mhz or ("6" or six) adj mhz) or coax or coaxial) with (single or individual or subscriber or customer or buy\$3 or purchas\$3) with encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:30
L10	6	9 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:30
L11	165	@ad<"19980803" and ((6mhz or ("6" or six) adj mhz) or coax or coaxial or cable) with (single or individual or subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:33
L12	56	@ad<"19980803" and "725"/\$.ccls. and ((6mhz or ("6" or six) adj mhz) or coax or coaxial or cable) with (single or individual or subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:33
L13	8	@ad<"19980803" and "725"/\$.ccls. and ((6mhz or ("6" or six) adj mhz) or coax or coaxial) with (single or individual or subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with encrypt \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:33

L14	244	@ad<"19980803" and "725"/\$.ccls. and ((single or individual or subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:35
L15	18	@ad<"19980803" and "725"/\$.ccls. and ((single or individual) with (subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with encrypt \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:35
L16	155	@ad<"19980803" and "725"/\$.ccls. and ((single or individual) with (subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with (address \$3 or encrypt\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:41
L17	75	@ad<"19980803" and "725"/\$.ccls. and ((subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with ((single or individual) near2 (address\$3 or encrypt \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:41
L18	19	@ad<"19980803" and "725"/86-104.ccls. and ((subscriber or customer or buy\$3 or purchas\$3 or receiv\$3 or house or household) with ((single or individual) near2 (address\$3 or encrypt \$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:42
L19	100	@ad<"19980803" and "725"/86-104.ccls. and (((single or individual or one) near2 (address\$3 or encrypt\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:46
L20	6	@ad<"19980803" and "725"/86-104.ccls. and (((single or individual or one) near2 (address\$3 or encrypt\$4)) with (content or movie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:46

L21	418	@ad<"19980803" and "725"/86-104.ccls. and (((single or individual or one) near2 (viewer or subscriber or buyer or purchaser or user)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:47
L22	55	@ad<"19980803" and "725"/86-104.ccls. and (((single or individual or one) near2 (viewer or subscriber or buyer or purchaser or user)) with (encryp\$4 or address\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:48
L23	2	@ad<"19980803" and "725"/86-104.ccls. and (((single or individual or one) near2 (viewer or subscriber or buyer or purchaser or user)) with (encryp\$4 or address\$4)) same (tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:50
L24	2	@ad<"19980803" and "725"/86-104.ccls. and (((single or individual or one) near2 (viewer or subscriber or buyer or purchaser or user or receiver or terminal)) with (encryp\$4 or address\$4)) same (tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:51
L25	19	@ad<"19980803" and (((single or individual or one) near2 (viewer or subscriber or buyer or purchaser or user or receiver or terminal)) with (encryp\$4 or address\$4)) same (tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:52
L26	17	25 not 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:52

L27	0	@ad<"19980803" and (((single or individual or one) near2 (viewer or subscriber or buyer or purchaser or user or receiver or terminal)) with (encryp\$4 or address\$4)) same (tcpip or (tcp adj ip)) same (coax or coaxial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:52
L28	28	@ad<"19980803" and (((single or individual or one) near2 (viewer or subscriber or buyer or purchaser or user or receiver or terminal)) with (encryp\$4 or address\$4)) same (coax or coaxial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:52
L29	5	@ad<"19980803" and "725"/86-104.ccls. and (address\$4 with encrypt\$4 with (single or one or "1" or individual\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:54
L30	75	@ad<"19980803" and "725"/86-104.ccls. and (address\$4 with (content or movie or program\$4) with (single or one or "1" or individual\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:55
L31	0	@ad<"19980803" and "725"/86-104.ccls. and (address\$4 with (content or movie or program\$4) with (encrypt\$3 or decrypt\$3) with (single or one or "1" or individual\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:56
L32	5	@ad<"19980803" and "725"/86-104.ccls. and (address\$4 with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3) with (single or one or "1" or individual\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:56
L33	6	@ad<"19980803" and "725"/\$.ccls. and (address\$4 with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3) with (single or one or "1" or individual\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:57

L34	1	33 not 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:57
L35	4	@ad<"19980803" and (address\$4 with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3) with (single or one or "1" or individual \$3) with (cable or coax or coaxial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:58
L36	0	@ad<"19980803" and (address\$4 with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3) with (cable or coax or coaxial) with (tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:01
L37	0	@ad<"19980803" and ((content or movie or program\$4) with (scrambl \$3 encrypt\$3 or decrypt \$3) with (cable or coax or coaxial) with (tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:01
L38	0	@ad<"19980803" and ((address\$4 with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3)) same (cable or coax or coaxial) same (tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:01
L39	53	@ad<"19980803" and ((address\$4 with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3)) same (cable or coax or coaxial or tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:01
L40	23	@ad<"19980803" and "725"/\$.cls. and ((address \$4 with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3)) same (cable or coax or coaxial or tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:02

L41	2	@ad<"19980803" and ((address\$4 with (single or individual) with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3)) same (cable or coax or coaxial or tcpip or (tcp adj ip)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:04
L42	14	@ad<"19980803" and (address\$4 with (single or individual) with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:05
L43	37	@ad<"19980803" and ((address\$4 or authoriz\$5) with (single or individual) with (content or movie or program\$4) with (scrambl\$3 encrypt\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:09
L44	23	43 not 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:09
L45	18	@ad<"19980803" and "725"/\$.ccls. and ((address\$4 or authoriz\$5 or scrambl\$3 encrypt\$3 or decrypt\$3) with (single or individual) with (interactiv\$4 or personal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:14
L46	6	@ad<"19980803" and "725"/\$.ccls. and ((address\$4 or authoriz\$5 or scrambl\$3 encrypt\$3 or decrypt\$3 or password) with ((single or individual) near2 (person or user or subscriber or house or household or room viewer)) with (interactiv\$4 or personal\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:16

L47	4	@ad<"19980803" and "725"/75-78.ccls. and ((address\$4 or authoriz\$5 or scrambl\$3 encrypt\$3 or decrypt\$3 or password) with ((single or individual) near2 (person or user or subscriber or house or household or room viewer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:18
L48	19	@ad<"19980803" and "725"/75-78.ccls. and ((address\$4 or authoriz\$5 or scrambl\$3 encrypt\$3 or decrypt\$3 or password) with (single or individual))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:21
L49	15	48 not 47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:21
L50	1	@ad<"19980803" and "725"/75-78.ccls. and ((scrambl\$3 encrypt\$3 or decrypt\$3 or password) with (single or individual))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:24
L51	31	@ad<"19980803" and "725"/75-78.ccls. and ((scrambl\$3 encrypt\$3 or decrypt\$3 or password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:25
L52	1	@ad<"19980803" and "725"/75-78.ccls. and ((scrambl\$3 encrypt\$3 or decrypt\$3 or password) with (room or household or home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:25
L53	1	"20020007490".pn. and (process\$3 near2 switch \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:32
L54	0	@ad<"19980803" and "725"/75-78.ccls. and (process\$3 with (input or source) with (gateway))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:34
L55	62	@ad<"19980803" and "725"/75-78.ccls. and (process\$3 with (input or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:34

L56	21	@ad<"19980803" and "725"/75-78.ccls. and (process\$3 near2 (input or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:34
L57	16	@ad<"19980803" and "725"/75-78.ccls. and (process\$3 with (multiple or plurality) with (input or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:36
L58	9	@ad<"19980803" and "725"/75-78.ccls. and (processor with (multiple or plurality) with (input or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:36
L59	9	@ad<"19980803" and "725"/74-85.ccls. and (processor with (switch\$3) with (input or source or tuner))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:39
L60	2	"4829570".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:49
L61	1	"20020007490".pn. and (coax\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 14:26
S1	6	"127963".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:32
S2	15	((("5130793") or ("5528283") or ("5528286") or ("5566232") or ("5574964") or ("5612730") or ("5613190") or ("5621455") or ("5633614") or ("5638426") or ("5673205") or ("5903372") or ("5905942") or ("5936660") or ("6088368"))).PN.	USPAT	OR	OFF	2005/10/12 09:59

S3	347	(725/112).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 07:13
S4	2	("6038425").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 10:45
S5	2	("6567981").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/08 10:45
S6	55	725/120.ccls. and (ip or (internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:04
S7	3	725/120.ccls. and (ip or (internet adj protocol)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:06
S8	35	"725"/\$.ccls. and ((ip or (internet adj protocol)) with request\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:54
S9	36	"725"/99.ccls. and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:54
S10	9	"725"/99.ccls. and @ad<"19980803" and (ip or (internet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:57
S11	5	"725"/99.ccls. and @ad<"19980803" and (ip or (internet adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:59
S12	56	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same ((twisted adj pair) or (telephone)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 17:59

S13	2	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same ((twisted adj pair) or (telephone adj wire)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:01
S14	19	"725"/\$.ccls. and @ad<"19980803" and ((ip or (internet adj protocol)) same (pstn))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:06
S15	52	"725"/\$.ccls. and @ad<"19980803" and (demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08
S16	27	"725"/\$.ccls. and @ad<"19980803" and (demodulat\$3 with (different near3 (format or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:11
S17	0	"725"/\$.ccls. and @ad<"19980803" and (server with demodulat\$3 with (different near3 (format or signal)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08
S18	0	"725"/\$.ccls. and @ad<"19980803" and (server with demodulat\$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08
S19	0	"725"/\$.ccls. and @ad<"19980803" and (headend with demodulat \$3 with different with (format or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:08
S20	0	"725"/\$.ccls. and @ad<"19980803" and ((demodulat\$3 with (different near3 (format or signal))) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:09
S21	0	"725"/\$.ccls. and @ad<"19980803" and ((demodulat\$3 with (different near3 (format or signal))) same headend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 18:09
S22	14	"725"/\$.ccls. and @ad<"19980803" and ((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:36

S23	88	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black))) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:38
S24	31	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)) or (red near3 black))) with (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:37
S25	1	@ad<"19980803" and (((unused near3 ((twisted adj pair) or (telephone adj wire)))) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:39
S26	1	@ad<"19980803" and (((unused with ((twisted adj pair) or (telephone adj wire)))) same (television or tv or catv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:39
S27	96	725/78.ccls. and (joystick or (card adj reader) or keyboard or (bar adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:41
S28	33	725/78.ccls. and (joystick or (card adj reader) or keyboard or (bar adj code)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:45
S29	1	725/78.ccls. and (computer with signal with demodulator) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:46
S30	1	725/78.ccls. and (computer with control with demodulator) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:49
S31	4	(equaliz\$3 with (high adj frequency)) same (increas\$3 with chroma) same (increas\$3 with (peak near2 peak) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 10:16

S32	19	((rais\$3 or increas\$3) with (baseband or (base adj band))) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:08
S33	17	((rais\$3 or increas\$3) with (chroma)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:04
S34	0	((rais\$3 or increas\$3) with (peak adj peak adj voltage)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
S35	0	((rais\$3 or increas\$3) with (peak adj peak adj voltage))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
S36	3	((rais\$3 or increas\$3) with (peak adj peak)) same modulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:05
S37	13	((rais\$3 or increas\$3) with (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:17
S38	1	09/928332	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:09
S39	0	((rais\$3 or increas\$3) near1 (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:18
S40	1	((rais\$3 or increas\$3) near3 (baseband or (base adj band))) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:14

S41	14	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:22
S42	4	((rais\$3 or increas\$3) near1 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S43	38	((rais\$3 or increas\$3) near3 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S44	24	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S45	11	((rais\$3 or increas\$3) near2 (baseband or (base adj band))) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:20
S46	52	((rais\$3 or increas\$3) near2 (chroma))) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:22
S47	10	((rais\$3 or increas\$3) near2 (chroma)) same demodulat\$3) and ("725"/\$.ccls. or "348"/\$.ccls.) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:32
S48	257	((increas\$3 or rais\$3) near3 chroma) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:36
S49	5	((increas\$3 or rais\$3) near3 chroma) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:33
S50	22	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51

S51	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S52	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:37
S53	0	((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) and demodulat\$3 and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:37
S54	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with receiver) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S55	0	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with receiv\$) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S56	2	((((increas\$3 or rais\$3) near3 (peak adj peak adj voltage)) with (input adj signal)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:38
S57	411	((equaliz\$3) near3 (high adj frequency)) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:41
S58	4	((((equaliz\$3) near3 (high adj frequency)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:42
S59	222	((increas\$3 or rais\$3) near3 (baseband or (base adj band))) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:51
S60	16	((increas\$3 or rais\$3) near3 (baseband or (base adj band)) with demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06

S61	38	((increas\$3 or rais\$3) near3 (baseband or (base adj band)) same demodulat\$3) and @ad<"19980803"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
S62	22	S61 not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:06
S63	1	"20020007490".pn. and (plurality with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:32
S64	1	"20020007490".pn. and "150"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:37
S65	0	"20020007490".pn. and ("150" with "5")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:37
S66	0	"20020007490".pn. and ("150" with (pstn or telephone) with coaxial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:38
S67	1	"20020007490".pn. and ("150" same (pstn or telephone) same coaxial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:38
S68	1	"725"/\$.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with (cat5 or (cagetary adj "5")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:43
S69	300	"725"/\$.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:44
S70	76	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:45

S71	4	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with output\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:45
S72	3	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with modulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:48
S73	12	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with rout\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:51
S74	21	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with (rout\$3 or switch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 12:51
S75	2	"725"/86-104.ccls. and @ad<"19980803" and ((coax or coaxial) with (telephone or (twisted adj pair) or dsl or pstn) with (select\$3 or choos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/11 13:07
S76	0	@ad<"19980803" and (ouput\$4 with (single near2 channel)) and (demodulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:38
S77	0	@ad<"19980803" and (ouput\$4 with channel with (pstn or phonline or (phone adj line))) and (demodulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S78	0	@ad<"19980803" and (ouput\$4 with channel with (pstn or phonline or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S80	14	@ad<"19980803" and (output\$4 with channel with (pstn or phonline or (phone adj line))) and demodulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39

S81	0	@ad<"19980803" and (output\$4 with (single near2 channel) with (pstn or phonline or (phone adj line))) and demodulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:39
S82	0	@ad<"19980803" and (output\$4 with single with channel with (pstn or phonline or (phone adj line))) and demodulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:40
S83	0	@ad<"19980803" and (output\$4 with channel with (pstn or phonline or (phone adj line))) and (demodulat\$3 near3 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:40
S84	1	@ad<"19980803" and (output\$4 with channel with (pstn or phonline or (phone adj line))) and (demodulat\$3 with source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:40
S85	0	@ad<"19980803" and (output\$4 with channel with (pstn or phonline or (phone adj line))) and (demodulat\$3 with (tv or television) with cable with satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:41
S86	0	@ad<"19980803" and (output\$4 with channel with (pstn or phonline or (phone adj line))) and (demodulat\$3 with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:42
S87	0	@ad<"19980803" and (output\$4 with channel with (pstn or phonline or (phone adj line))) and (remodulat\$3 with (tv or television) with cable with satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:42
S88	0	@ad<"19980803" and (output\$4 with channel with (pstn or phonline or (phone adj line))) and (remodulat\$3 with (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:43

S89	14	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line))) and (demodulat\$3 same (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:43
S90	9	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:47
S91	4	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3)) and (pstn or phoneline or (phone adj line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:47
S92	0	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3)) and (demodulat\$3 with source with cable with satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:50
S93	4	@ad<"19980803" and "725"/\$.ccls. and (output \$4 with (single near3 channel) with (modulat\$3 or remodulat\$3)) and (demodulat\$3 with (source or cable or satellite))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:50
S94	4	S90 not (S91 or S93)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 14:52
S95	0	@ad<"19980803" and (output\$4 with (single near2 channel) with (pstn or phoneline or (phone adj line))) and demodulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:24
S96	10	@ad<"19980803" and "725"/\$.ccls. and (modulat \$3 with (select\$3 or chos \$3 or choos\$3) with channel) and (ptsn or (phone adj line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:29

S97	0	@ad<"19980803" and "725"/\$.ccls. and ((modulat\$3 with (select \$3 or chos\$3 or choos\$3) with channel) same (ptsn or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:29
S98	13	@ad<"19980803" and "725"/\$.ccls. and (modulat \$3 with (request\$3 or select\$3 or chos\$3 or choos\$3) with channel) and (ptsn or (phone adj line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:33
S99	3	S98 not S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:33
S100	0	@ad<"19980803" and (modulat\$3 with (request \$3 or select\$3 or chos\$3 or choos\$3) with channel with (ptsn or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:34
S101	0	@ad<"19980803" and ((modulat\$3 or insert\$3) with (request\$3 or select \$3 or chos\$3 or choos\$3) with (channel or program \$4) with (ptsn or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:35
S102	13	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:36
S103	10	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and (channel or request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:39
S104	1	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and (channel with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:39

S105	1	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and (single adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:41
S106	9	@ad<"19980803" and (iptv or (ip adj tv) or (ip adj television) or ((internet adj protocol) adj (tv or television))) and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 13:42
S107	33	@ad<"19980803" and (request\$3 near3 (single adj channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:05
S108	0	@ad<"19980803" and (request\$3 near3 (single adj channel)) and (demodulat\$3 with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:07
S109	0	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with (iptv or ip or internet or pstn or phone or telephone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:08
S110	2	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with (iptv or ip or internet or pstn or phone or telephone or network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:08
S111	2	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with (iptv or ip or internet or pstn or phone or telephone or network or intranet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:08
S112	0	@ad<"19980803" and ((request\$3 near3 (single adj channel)) with television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:11
S113	0	@ad<"19980803" and ((request\$3 near3 (single adj channel)) same television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:12

S114	1	@ad<"19980803" and ((request\$3 near3 (single adj channel)) same (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/16 14:12
S115	1	"20020007490".pn. and (single with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 17:06
S116	2	"20020007490".pn. and (channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 17:06
S117	1	"20020007490".pn. and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 17:06
S118	1	"20020007490".pn. and (category with cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/02 17:07
S119	829	@ad<"19980803" and (((ip or internet) near2 (tv or television)) or iptv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/30 18:53
S120	27	@ad<"19980803" and (((ip or internet) near2 (tv or television)) or iptv) and (request\$3 near2 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/30 18:54
S121	23	@ad<"19980803" and (((ip) near2 (tv or television)) or iptv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/30 19:07
S122	4	@ad<"19980803" and (((ip) near2 (tv or television)) or iptv) and unicast\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/30 19:07
S123	33	@ad<"19980803" and (output\$4 with channel with (pstn or phoneline or (phone adj line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:21

S124	167	@ad<"19980803" and ((select\$3 or choos\$3 or request\$3) with (channel) with internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:22
S125	0	@ad<"19980803" and ((select\$3 or choos\$3 or request\$3) with (channel) with internet with unicast \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:23
S126	0	@ad<"19980803" and (((select\$3 or choos\$3 or request\$3) with (channel) with internet) same unicast \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:23
S127	4	@ad<"19980803" and ((select\$3 or choos\$3 or request\$3) with (single near2 channel) with internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:24
S128	24	@ad<"19980803" and ((select\$3 or choos\$3 or request\$3) with ((television or tv) near2 channel) with internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:24
S129	29	@ad<"19980803" and "725"/\$.ccls. and ((select \$3 or choos\$3 or request \$3) with channel with internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:32
S130	19	S129 not S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:33
S131	0	@ad<"19980803" and "725"/\$.ccls. and (channel with internet) and (ip near2 (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:44
S132	0	@ad<"19980803" and (channel with internet) and (ip near2 (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:44
S133	0	@ad<"19980803" and (channel with internet with unicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:44

S134	1	@ad<"19980803" and ((channel with internet) same unicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:45
S135	76	@ad<"19980803" and (((tv or television) near2 channel) with internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:46
S136	26	@ad<"19980803" and "725"/\$.ccls. and (((tv or television) near2 channel) with internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:46
S137	0	@ad<"19980803" and (((tv or television) near2 channel) with unicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:55
S138	19	@ad<"19980803" and (ip near2 (tv or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:58
S139	10	@ad<"19980803" and (ip near2 (tv or television)) and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 13:59
S140	14	((ip near2 (tv or television)) same (request \$3 near2 channel) same internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 14:03
S141	4	@ad<"19980803" and (iptv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 14:04
S142	12	("5550900" "5625865" "5748736" "5761294" "5767895" "5805154" "5828666" "5842111" "6028917" "6215483" "6314094" "6510152"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/01 14:08
S143	2	"5828666".pn. or "5748736".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/01 14:18

S144	186	@ad<"19980803" and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan) with (select\$3 or request\$3 or choos\$3 or chos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:04
S145	92	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan) with (select\$3 or request\$3 or choos\$3 or chos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:04
S146	0	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan) with (select\$3 or request\$3 or choos\$3 or chos\$3) with (unicast\$3 or multicast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:05
S147	0	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan) with (select\$3 or request\$3 or choos\$3 or chos\$3)) same (multicast\$3 or unicast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:06
S148	8	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan) with (select\$3 or request\$3 or choos\$3 or chos\$3)) and (unicast\$3 or multicast\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:06
S149	56	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan or ethernet) with (select\$3 or request\$3 or choos\$3 or chos\$3) and (modulat\$4 or remodulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:14

S150	2	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with single with (internet or network or lan or wlan or wan or ethernet) with (select\$3 or request\$3 or choos\$3 or chos\$3) and (modulat\$4 or remodulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:14
S151	2	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with single with (internet or network or lan or wlan or wan or ethernet) with (select\$3 or request\$3 or choos\$3 or chos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:16
S152	92	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan or ethernet) with (select\$3 or request\$3 or choos\$3 or chos\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:16
S153	5	@ad<"19980803" and "725"/\$.ccls. and (((cable or television or tv) near2 channel) with (internet or network or lan or wlan or wan or ethernet) with (select\$3 or request\$3 or choos\$3 or chos\$3) with (modulat\$4 or remodulat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/01 18:17
S154	1	"20080052752".pn. and statistic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/09 10:46
S155	0	@ad<"19980803" and 725/32-36.ccls. and (statistic\$5 with bill\$3) and (server with statistic\$5 with (commercial or avail or advail or ad or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/09 10:51

S156	0	@ad<"19980803" and "725"/\$.ccls. and (statistic\$5 with bill\$3) and (server with statistic\$5 with (commercial or avail or advail or ad or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/09 10:51
S157	1	@ad<"19980803" and 725/32-36.ccls. and (server with statistic\$5 with (commercial or avail or advail or ad or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/09 10:51
S158	11	@ad<"19980803" and 725/32-36.ccls. and (server with (insert\$3 or switch\$3) with (commercial or avail or advail or ad or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/09 10:52
S159	1	@ad<"19980803" and 725/32-36.ccls. and (server with (insert\$3 or switch\$3) with (commercial or avail or advail or ad or advertisement)) and (statistic\$5 with bill\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/09 10:53
S160	1	"20080052752".pn. and (programming)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 16:19
S161	1	"20080052752".pn. and (program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 16:20
S162	1	"20080052752".pn. and (outgoing adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 16:22
S163	2	"20080052752".pn. and (signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 16:22

S164	1	"20080052752".pn. and ((system or method) with (unit or module or logic or software or program\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 16:25
S165	10	@ad<"19980803" and 725/32-36.ccls. and (billing with (statistic\$4 or history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 17:28
S166	5	@ad<"19980803" and 725/9-21.ccls. and (billing with (statistic\$4 or history) with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 17:30
S167	0	@ad<"19980803" and "725"/\$.ccls. and (billing with (statistic\$4 or history) with (ad or advail or avail or advertisement or commercial) with (watched or viewed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 17:32
S168	4	@ad<"19980803" and "725"/\$.ccls. and (billing with (ad or advail or avail or advertisement or commercial) with (watched or viewed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 17:32
S169	14	@ad<"19980803" and "725"/\$.ccls. and (billing with (ad or advail or avail or advertisement or commercial or episode or movie or show) with (watched or viewed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 17:33
S170	10	S169 not S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 17:33
S171	627	725/35.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/11 17:49
S172	439	725/78.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:40

9/ 21/ 2010 3:17:41 PM

C:\ Documents and Settings\ jshepard\ My Documents\ EAST\ Workspaces\ cont_09928332.wsp